



SL-T1921SYC020-L190 DATA SHEET

 SPEC. NO.
 :
 SZ20062202

 DATE
 :
 2020/09/16

 REV.
 :
 A/1

Approved By: Checked By: Prepared By:

Part No. SL-T1921SYC020-L190	Page	1 of 9
--------------------------------	------	--------





Part No. SL-T1921SYC020-L190	Page	3 of 9
------------------------------	------	--------






Electrical Optical Characteristics at Ta=25°C


Parameter	Syn	nbol	Min.	Тур.	Max.	Unit	Test Condition		
		S12	145		185				
Luminous Intensity	Iv	S13	185		240	mcd	I _F =20mA (Note 1)		
		S14	240		310				
Viewing Angle	2 1/2			110		Deg.	(Note 2)		
Peak Emission Wavelength	p			585		nm	$I_F=20mA$		
Dominant Wavelength	d	Y1	585		589	nm	L = 20m A (Note 2)		
	u	Y2	589		593		11111	11111	11111
Spectral Line Half-Width				15		nm	I _F =20mA		
Forward Voltage	V _F	V2	1.8		2.1	V	I _F =20mA		
		V3	2.1		2.4				
Reverse Current	I	R			10	μA	$V_R=5V$		


Note:

- 1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve. Tolerance of Luminous Intensity: $\pm 15\%$.
- 2. _{1/2} is the off-axis angle at which the luminous intensity is half the axial luminous intensity.
- 3. The dominant wavelength, d is derived from the CIE chromaticity diagram and represents the single wavelength which defines the color of the device. Tolerance of Dominant Wavelength: ±1.0nm.
- 4. Tolerance of Forward Voltage: ±0.1V.

Part No.	SL-T1921SYC020-L190	Page	4 of 9
----------	---------------------	------	--------












						Page	
			020-L190				8 of 9

loisture	Resistant F	Pack	aging				
Sarrier la	ipe Specific	catio	ons(Loaded (Quantity: 200	uPCS/reel	l)	






- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.

Soldering iron

- 1. When hand soldering, the temperature of the iron must less than 300°C for 3 seconds.
- 2. The hand solder should be done only once.

Repairing

Renair should not be done after the JEDs have been soldered. When renairing is unavoidable a doubte-head soldering from should be used (as below rigure). It should be continued beforehand whether the characteristics of LEDs will or will not be damaged by repairing.



Part No. | SL-T1921SYC020-L190 | Page | 9 of 9