



SL-T4232IRC050-L395-B DATA SHEET

 SPEC. NO.
 :
 SZ19091202

 DATE
 :
 2019/09/24


 REV.
 A/1

Approved By:

Checked By:

Prepared By:

	Part No.	SL-T4232IRC050-L395-B	Page	1 of 9
--	----------	-----------------------	------	--------





LIGHT ELECTRONICS CO., LTD.



Absolute Maximum Ratings at Ta=25

Parameter	MAX.	Unit	
Power Dissipation	150 mW		
Continuous Forward Current	70 mA		
Peak Forward Current ^{*3}	700 mA		
Reverse Voltage	5 V		
Electrostatic Discharge (HBM) ^{*5}	2000 V		
Moisture Sensitivity Level ^{*1}	5a		
Operating Temperature	-40 to + 85		
Storage Temperature	-40 to + 100		
IR Reflow Temperature ^{*4}	260 for 10 Seconds MAX.		

1. Storage

- (1). Storage requirements before vacuum bag opened: Temperature<30 , Humidity<65%RH;
- (2). Check air leakage and vacuum bag damage before opened. If there is any issue found, check the humidity indicator card immediately after bag opened:
 - a. If color changes on "10% circle" of the humidity indicator card only and not the circles of 20% and above, components can be used without additional handling;
 - b. If color changes on both 10% and 20% circles but not the circles of 30% and above, components must be dehumidified according to the conditions of bullet (5);
 - c. If color changes on 10%, 20%, and 30% circle or above, the product should be returned to the supplier for high temperature dehumidification;
- (3). After bag opened, manual soldering or reflow process must follow the following requirements:
 - a. Complete soldering / reflow within 24 hours;
 - b. Requirements of working environment: Temperature<30 , Humidity<60%RH;
- (4). If the working condition is outside (3)a or (3)b requirement, the components must be dehumidified according to the conditions of bullet (5);
- (5). Low temperature dehumidification: temperature 60 ± 5 24 hours;
- (6). Shelf life: 30 days. If it's over 30 days from the production date on the package label, the components must be dehumidified according to the condition of bullet (5). If customer is unable to dehumidify, return components to LIGHT for dehumidification.

2. Cleaning:

Use alcohol-based cleaning solvents such as isopropyl alcohol to clean the LED if necessary.

3. Peak Forward Current:

Condition for is IFP pulse

4. IR Reflow Temperature:

It is the Plate Temperature.

5. Caution in ESD:

Static Electricity and surge damages the LED. It is recommend to use a wrist band or anti-electrostatic glove when handling the LED. All devices, equipment and machinery must be properly grounded.



LIGHT ELECTRONICS CO., LTD.




Electrical Optical Characteristics at Ta=25

Parameter	Symbol	Min.	Тур.	Max.	Unit	Test Condition	
Dedient Intensity	Ia	12.5	20		mW/sr	I _F =20mA (Note 1,3)	
Radiant Intensity	Ie	31	50		mW/sr	I _F =50mA (Note 1,3)	
Viewing Angle(X)			65		Dag	(Note 2)	
Viewing Angle(Y)	1/2		25		Deg.	(Note 2)	
						_F =50mA	
Spectral Line Half- Width						_F =50mA	
Forward Voltage	V_{F}		1.35	1.60	V	I _F =50mA	
Reverse Current	I _R			10	μΑ	V _R =5V	

Part No.	SL-T4232IRC050-L395-B	Page	4 of 9
			LG-QR-R009-01

RF3 12 TfecteataaITeP8.68 4u62.0(i)-.2 722.6 Tm5722.6 Tm [(T)71.0(0 1 106.30(t)-2.e)4.0(c)412 9(-)a30(t)-2.2.0(e)40(c)412 9(-)a30(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2.0(e)40(t)-2.2

Part No.	SL-T4232IRC050-L395-B	Page	5 of 9
		U	



LIGHT ELECTRONICS CO., LTD.


LIGHT

Part No.	SL-T4232IRC050-L395-B	Page	8 of 9

LIGHT



Suggest IR Reflow Condition For Lead Free



- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.

Soldering iron

- 1. When hand soldering, the temperature of the iron must less than 300 for 3 seconds.
- 2. The hand solder should be done only once.

Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of LEDs will or will not be damaged by repairing.

